

Morgan, Lewis & Bockius LLP
 2 Palo Alto Square
 3000 El Camino Real, Suite 700
 Palo Alto, California 94306
 TEL: 650.843.4000
 FAX: 650.843.4001
 www.morganlewis.com

Morgan Lewis
 COUNSELORS AT LAW

RECEIVED
CENTRAL FAX CENTER

JUN 02 2006

TO

Name: Firm: United States Patent and Trademark Office
 FAX Number: 571 273 8300 Telephone Number:

FAX MESSAGE

THE INFORMATION CONTAINED IN THIS FAX MESSAGE IS INTENDED ONLY FOR THE PERSONAL AND CONFIDENTIAL USE OF THE NAMED RECIPIENT(S). THIS MESSAGE MAY BE AN ATTORNEY-CLIENT COMMUNICATION AND AS SUCH IS PRIVILEGED AND CONFIDENTIAL. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT OR AN AGENT RESPONSIBLE FOR DELIVERING IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT YOU HAVE RECEIVED THIS DOCUMENT IN ERROR AND THAT ANY REVIEW, DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS MESSAGE IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US BY MAIL. THANK YOU.

FROM

Name: Judi Stillwell Date Sent: June 2, 2006
 FAX Number: 650 843 4001 Telephone Number: 415-442-1748
 Client / Matter No. 064881-5006 Number of Pages: 3
 (including cover page)
 Operator Sending: Floor: 28

COMMENTS

| | | | |
|----------------|---------------------------------|---------------------|--------------|
| Application of | Robert K. DiNello et al. | Confirmation No. | 7040 |
| Serial Number: | 09/823,868 | Group Art Unit | 1641 |
| Filed: | March 30, 2001 | Examiner | B. T. Nguyen |
| Patent Number: | 6,767,710 | | |
| Issued: | July 27, 2004 | Attorney Docket No. | 64881-5006US |
| Title: | Prewetting Stop Flow Test Strip | | |

Enclosed is:

- (1) Request for Withdrawal as Attorney or Agent and Change of Address (2 pg.)

I certify that this paper is being filed with the U.S. Patent and Trademark Office by facsimile transmission on June 2, 2006 facsimile number (571) 273-8300.

Signature: RECEIVED
CENTRAL FAX CENTER

JUN 02 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

| | | | |
|----------------|---------------------------------|---------------------|--------------|
| Application of | Robert K. DiNello et al. | Confirmation No. | 7040 |
| Serial Number: | 09/823,868 | Group Art Unit | 1641 |
| Filed: | March 30, 2001 | Examiner | B. T. Nguyen |
| Patent Number: | 6,767,710 | | |
| Issued: | July 27, 2004 | Attorney Docket No. | 64881-5006US |
| Title: | Prewetting Stop Flow Test Strip | | |

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR WITHDRAWAL AS ATTORNEY
OR AGENT AND CHANGE OF ADDRESS**

I hereby apply to withdraw as attorney or agent for the above-identified patent application. I am signing on behalf of the other attorneys and agents listed under customer number 43850.

This request for withdrawal and change of address is submitted pursuant to our client's instructions to transfer the file to new counsel (copy enclosed for reference). Please change the correspondence address and direct all future correspondence to:


Nan Wu
Cooley Godward LLP
101 California Street, 5th Floor
San Francisco, CA 94111-5800
United States of America

Applicant's attorney believes no fee is due for this submission, however, the Commissioner is authorized to charge any requisite fee to Morgan, Lewis & Bockius LLP Deposit Account No. 50-0310 (order no. 064881-5006-US).

Date: June 2, 2006

MORGAN, LEWIS & BOCKIUS LLP
2 Palo Alto Square
3000 El Camino Real
Palo Alto, California 94306
Tel: (650) 843 4000
Fax: (650) 843 4001

Respectfully submitted,



Jeffrey S. Mann
Reg. No. 42,837

05/25/2006 22:10 14153440212

RUTTER

PAGE 01

ReLIATM
DIAGNOSTIC SYSTEMS

442-1001

RECEIVED
CENTRAL FAX CENTER

JUN 02 2006

May 17, 2006

MORGAN LEWIS
One Market
Spear Street Tower
San Francisco, CA 94105

Attention: Jeffry S. Mann

RE: TRANSFER OF FILES TO COOLEY GODWARD LLP

Dear Jeff:

As you know, we have decided to retain Cooley Godward LLP as our legal counsel. This letter is to request and authorize you to deliver as soon as possible all records, files and similar material relating to RELIA DIAGNOSTIC SYSTEMS that you or your firm may have including electronic copies of patent applications, claims and any other documents to:

Cooley Godward LLP
The Bowen Building
875 15th Street NW, Suite 800
Washington, DC 20005-2221
Attention: Ms. Gale Cummings

In addition, please contact any and all foreign associates currently handling RELIA cases and request them to communicate directly with Nan Wu at the following address:

Nan Wu, M.D., Ph.D., J.D.
Cooley Godward LLP - 101 California Street - 5th Floor
San Francisco, CA 94111-5800
Direct: 415-693-2002 - Fax: 415-693-2222 - Cell: 415-216-7624

Thank you in advance for your immediate attention to this matter.

Very truly yours,

RELIA DIAGNOSTIC SYSTEMS

By 
Jimmy Zhang, Ph.D.

cc: Nan Wu, M.D., Ph.D., J.D.

One Market, Suite 1475, Stewart Tower, San Francisco, CA 94105
Tel: 415-344-0844
Fax: 415-344-0212863-B Mitten Road, Burlingame, CA 94010
Tel: 650-259-5027
Fax: 650-259-5022